

Technical Data Sheet

Page 1 of 1

Properties:	<p>AKEMI® Handwash Cream is a creamy cleaning agent based on anionic and non-ionic surfactants, glycol derivates and fine-grained, natural rubbing agents.</p> <p>The product is characterized by the following properties:</p> <ul style="list-style-type: none">- careful and gentle skin cleansing- no sharp-edged rubbing agents- easy removal of coarse contamination s.a. oil, soot, graphite, metal dust etc.- moisturising and skin-caring properties- surfactants are easily biodegradable- free of microplastics						
Application Area:	<p>AKEMI® Handwash Cream is used in industry, trade and hobby, e.g. body shops, printing shops, metal working plants etc.</p>						
Instructions for use:	<ol style="list-style-type: none">1. Rub a thumb-sized amount (max. 5 g) well into dirty hands.2. Thoroughly wash hands with water afterwards.						
Special Notes:	<ul style="list-style-type: none">- Application max. 10 times per day.- For proper waste disposal, the container must be completely emptied.- Recycling in accordance with the guidelines of EU Decision 97/129 EC on the Packaging Directive 94/62/EC.						
Technical Data:	<table><tr><td>Colour:</td><td>beige brownish</td></tr><tr><td>Consistency:</td><td>soft, creamy</td></tr><tr><td>pH value:</td><td>approx. 8</td></tr></table>	Colour:	beige brownish	Consistency:	soft, creamy	pH value:	approx. 8
Colour:	beige brownish						
Consistency:	soft, creamy						
pH value:	approx. 8						
Storage:	<p>If stored in dry and cool condition (5 - 25°C/41 - 77°F) in its closed original container at least 24 months from production.</p>						
Health & Safety:	<p>Read Safety Data Sheet before handling or using this product.</p>						
Important Notice:	<p>The above information is based on the latest stage of development and application technology. Due to a multiplicity of different influencing factors, this information - as well as other oral or written technical advises - must be considered as non-binding hints. The user is obliged in each particular case to conduct performance tests, including but not limited to trials of the product, in an inconspicuous area or fabrication of a sample piece.</p>						

TDS 08.24