

**Technical Data Sheet**

Page 1 of 1

<b>Properties:</b>	AKEMI® Multi Purpose Foam Cleaner is a powerful cleaner on a foam basis with d-limonene. The product is free of silicone.								
<b>Application Area:</b>	AKEMI® Multi Purpose Foam Cleaner removes dirt, grease, oils, nicotine, soot, residues of preservations, remains of insects and many other types of dirt and stains on glass, paintwork, upholstery, cloth, carpets, hard and soft plastics, tiles etc. Due to the active foam the product is extremely effective against dirt on horizontal as well as on vertical surfaces.								
<b>Instructions for use:</b>	<ol style="list-style-type: none"><li>1. Shake the spray can well before use.</li><li>2. Spray onto the surface to be cleaned from a distance of approx. 25 cm.</li><li>3. Let it work for a short period of time.</li><li>4. In case of porous surfaces, apply with a soft brush.</li><li>5. Wipe it off with a clean cloth.</li><li>6. Repeat the process if necessary.</li></ol>								
<b>Special Notes:</b>	<ul style="list-style-type: none"><li>- For professional use only.</li><li>- For proper waste disposal, the container must be completely emptied.</li><li>- Recycling in accordance with the guidelines of EU Decision 97/129 EC on the Packaging Directive 94/62/EC.</li></ul>								
<b>Technical Data:</b>	<table><tr><td>Odour:</td><td>faint orange smell</td></tr><tr><td>VOC:</td><td>209.3 g/l</td></tr><tr><td>Working temperature:</td><td>5 - 25°C</td></tr><tr><td>Density:</td><td>0.91 g/cm<sup>3</sup></td></tr></table>	Odour:	faint orange smell	VOC:	209.3 g/l	Working temperature:	5 - 25°C	Density:	0.91 g/cm <sup>3</sup>
Odour:	faint orange smell								
VOC:	209.3 g/l								
Working temperature:	5 - 25°C								
Density:	0.91 g/cm <sup>3</sup>								
<b>Storage:</b>	If stored in dry and cool condition (5 - 25°C/41 - 77°F) in its closed original container at least 12 months from production.								
<b>Health &amp; Safety:</b>	Read Safety Data Sheet before handling or using this product.								
<b>Important Notice:</b>	The above information is based on the latest stage of development and application technology. Due to a multiplicity of different influencing factors, this information - as well as other oral or written technical advises - must be considered as non-binding hints. The user is obliged in each particular case to conduct performance tests, including but not limited to trails of the product, in an inconspicuous area or fabrication of a sample piece.								

---

TDS 09.25